





WE ARE *NOT* THE SAME

We at APA are proud of our products and service. Our bows have a lot to offer in functionality, performance, style and features. APA bows have gained international acclaim incorporating smooth draw cycle, virtually zero hand shock, accuracy and shootability. After great lengths, we have ensured our bows are engineered to be user friendly and easy to maintain. We would like to take this opportunity to thank our loyal customers for your support and feedback. We look forward to serving you and our new customers with quality, service and the best in archery.



KING COBRA TF

THE **FASTEST**, MOST ADJUSTABLE DUAL CAM BOW **EVER**. READY TO STRIKE WITH EXTREME LEVELS OF KINETIC ENERGY, GENERATING SPEEDS UP TO 370 FPS.

KING COBRA TF

IBO/ATA - up to **370 fps**

Brace Height - **5"**

Let Off - **75%**

Axle to Axle - **34 1/16"**

Physical Weight - **4.0 lbs**

Draw Weights - **50, 60, 70, 80***

Draw Lengths - **24" - 30"**


Kinetic Energy - **82.10 @ 70#**

DELIVERS THE HIGHEST LEVEL OF PERFORMANCE, IDEAL FOR SHORT DRAW AND SEASONED ARCHERS.

* Extra Charge Applies

TWIN FLEX
LIMBS

MX
CAMS



EXTREME ENERGY

KE 121.62 / 80#



MAMBA

THE APA MAMBAS ARE KNOWN TO BE THE FASTEST, MOST ACCURATE AND EASIEST TO TUNE DUAL CAM BOWS ON THE MARKET, PERIOD.

MAMBA 32 TF

IBO/ATA - up to 353 fps

Brace Height - 6 5/8"

Let Off - 75%

Axle to Axle - 32 1/4"

Physical Weight - 3.8 lbs

Draw Weights - 50, 60, 70, 80*


Draw Lengths - 25" - 30 1/2"

Kinetic Energy - 96.87 @ 70#

APA'S SMOOTHEST, MOST EFFICIENT DUAL CAM BOW YET. RECOMMENDED FOR ARCHERS 30" DRAW AND UNDER. * Extra Charge Applies

TWIN FLEX
LIMBS

MX
CAMS



MAMBA 34 TF

IBO/ATA - up to 355 fps

Brace Height - 6 1/8"

Let Off - 75%

Axle to Axle - 34 1/8"

Physical Weight - 3.9 lbs

Draw Weights - 50, 60, 70, 80*

Draw Lengths - 25 1/2" - 31"

Kinetic Energy - 97.97 @ 70#

MID-SIZED, LIGHTWEIGHT, HIGH-ENERGY BOW. RECOMMENDED FOR ARCHERS 31" DRAW AND UNDER. PERFECT ALL-AROUND BOW.

TWIN FLEX
LIMBS

MX
CAMS



MAMBA 36 RDS

IBO/ATA - up to 343 fps

Brace Height - 6 1/4"

Let Off - 75%

Axle to Axle - 36 1/8"

Physical Weight - 3.9 lbs

Draw Weights - 40, 50, 60, 70

Draw Lengths - 26 1/2" - 32"

Kinetic Energy - 91.46 @ 70#

LIGHTWEIGHT, FAST AND ACCURATE. AN EXCELLENT CHOICE FOR 3D TARGET. HUNTERS LOOKING FOR A LONGER AXLE TO AXLE, LOOK NO FURTHER.

ROTATING
DRAW
STOP

EDGE CUTTER
STRINGS

M1
CAMS

MAMBA 38 RDS

IBO/ATA - up to 333 fps

Brace Height - 7"

Let Off - 75%

Axle to Axle - 37 7/8"

Physical Weight - 4.1 lbs

Draw Weights - 40, 50, 60, 70

Draw Lengths - 27" - 32 1/2"

Kinetic Energy - 86.20 @ 70#

THE MOST ACCURATE, STABLE AND TUNABLE BOW APA HAS EVER BUILT. IT'S GENEROUS BRACE HEIGHT AND ROCK-SOLID FEEL WILL TEAR UP THE 10X.

ROTATING
DRAW
STOP

EDGE CUTTER
STRINGS

M1
CAMS

APA ARCHERY

PROVEN ON THE PODIUM.



RDS

FIRST IMPRESSIONS

"Blew me away" **"Smoothest bow I've ever shot"**

"This bow makes me wanna get into target shooting" **"You gotta shoot this"**

"Game Changer" **"Brilliant"** **"What a significant change"**

"Outstanding" **"That's what I'm talking about"**

"What an innovation" **"Rock Solid"** **"Amazing"**



FEATHERLIGHT DESIGN

HIKE IN LIGHT... PACK OUT HEAVY.



MAMBA AIR TF

IBO/ATA - up to 348 fps

Brace Height - 7"

Let Off - 75%

Axle to Axle - 28 1/2"

Physical Weight - 3.4 lbs


Draw Weights - 40, 50, 60, 70

Draw Lengths - 25" - 30"

Kinetic Energy - 94.14 @ 70#

PERFECT FOR ARCHERS LOOKING TO SHOOT A
LIGHT, COMPACT, HIGH-PERFORMANCE BOW.

TWIN FLEX
LIMBS



VIPER

SMOOTH AND FORGIVING, THE APA VIPERS ARE THE ULTIMATE IN SINGLE CAM TECHNOLOGY. PERSONALIZE THE LET OFF AND FEEL WITH A WIDE RANGE OF ADJUSTABILITY.

VIPER NANO

IBO/ATA - up to 330 fps

Brace Height - 7 1/8"

Let Off - 80%

Axle to Axle - 30 1/2"


Physical Weight - 3.9 lbs

Draw Weights - 50, 60, 70

Draw Lengths - 23 1/2" - 30 1/2"

Kinetic Energy - 84.65 @ 70#

PROVEN ROCK SOLID AND SMOOTH, THE NANO'S VERSATILITY MAKES THIS BOW SUITABLE FOR ARCHERS OF ANY CALIBER.



V2
CAM

VIPER AIR

IBO/ATA - up to 323 fps

Brace Height - 7 3/8"

Let Off - 80%

Axle to Axle - 27 1/2"


Physical Weight - 3.4 lbs

Draw Weights - 40, 50, 60, 70

Draw Lengths - 23" - 30"

Kinetic Energy - 81.10 @ 70#

PERFECT FOR ARCHERS LOOKING TO SHOOT A LIGHT, COMPACT, HIGH-PERFORMANCE BOW.



V2
CAM



VIPER VENOM^{PKG}

IBO/ATA - up to **315 fps**

Brace Height - **7"**

Let Off - **80%**

Axle to Axle - **29"**

Physical Weight - **3.6 lbs**

Draw Weights - **40 ↔ 60**

Draw Lengths - **24" - 31"**

Kinetic Energy - **66.15 @ 60#**

OFFERING A WIDE RANGE OF DRAW LENGTH AND DRAW WEIGHT ADJUSTABILITY. APA QUALITY WITH AN ECONOMICALLY FRIENDLY PRICE TAG.



2PC QUIVER

TRUGLO
CARBON XS SIGHT

TWISTER REST FC

WRIST SLING

next G1
VISTA



PEEP / D-LOOP

V2
CAM



DIAMONDBACK

DEPENDABLE, SMOOTH AND ACCURATE, THE APA DIAMONDBACKS ARE BUILT WITH THE HIGHEST LEVEL OF QUALITY. AVAILABLE ONLY AT WHOLESALE SPORTS.

DIAMONDBACK

IBO/ATA - up to **325 fps**

Brace Height - 7"

Let Off - 80%

Axle to Axle - 30 1/2"

Physical Weight - 3.9 lbs

Draw Weights - 50 → 70


Draw Lengths - 23 1/2" - 30 1/2"

Kinetic Energy - 82.10 @ 70#

V2 CAM PROVIDES A GENTLE DRAW CYCLE, PERFECT FOR ALL ARCHERS. FULLY ADJUSTABLE FROM 50 TO 70 POUNDS.



V2
CAM



DIAMONDBACK LITE

IBO/ATA - up to **318 fps**

Brace Height - 7 3/8"

Let Off - 80%

Axle to Axle - 27 1/2"

Physical Weight - 3.4 lbs

Draw Weights - 45 → 65


Draw Lengths - 23" - 30"

Kinetic Energy - 72.99 @ 65#

LIGHTWEIGHT, SMOOTH, COMPACT BOW. FULLY ADJUSTABLE FROM 45 TO 65 POUNDS.



V2
CAM



DIAMONDBACK MICRO

IBO/ATA - up to **295 fps**

Brace Height - 7"

Let Off - 75%

Axle to Axle - 28"

Physical Weight - 2.9 lbs

Draw Weights - 20 → 60

Draw Lengths - 16" - 28"

Kinetic Energy - 57.98 @ 60#

SUPER LIGHTWEIGHT DUAL CAM BOW FOR THE SMALLER FRAMED ARCHER. WIDE RANGE OF DRAW WEIGHT AND DRAW LENGTH ADJUSTABILITY.

VANISH HYBRID



YR
GAMS



RATTLER

DESIGNED TO ACCOMMODATE THE SMALL FRAMED ARCHER, DRAW WEIGHTS RANGE FROM 20-60 POUNDS AND **ADJUSTABLE** DRAW LENGTH FROM 16-28 INCHES.



RATTLER

IBO/ATA - up to **295 fps @ 28"**

Brace Height - **7"**

Let Off - **75%**

Axle to Axle - **28"**

Physical Weight - **2.9lbs**

Draw Weights - **20 → 60**

Draw Lengths - **16" - 28"**

Kinetic Energy - **57.98 @ 60#**

BUILT WITH THE SAME APA QUALITY AND DEPENDABILITY, MACHINED FROM 6061-T6 ALUMINUM.



William Diehl

- Saskatchewan Indoor 3D Provincials
Cub Class - **Gold Medal**
- Saskatchewan Outdoor 3D Provincials
Cub Class - **Gold Medal**

**MORE
THAN
JUST A
BOW.**



APA CARRYING HANDLE

APA's patented revolutionary handle provides easy carrying and creates forward weight. Also increases stiffness in the riser acting as a support bridge, decreasing hand shock.



TWIN FLEX LIMBS

Until now, traditional solid limbs stored energy only in the solid portion, leaving the forked end ridged. APA's TF limbs are engineered to allow the forked section to flex, distributing the load amongst two separate working areas and enabling the storage of more energy.



TWIN FLEX


APA CAM LOCK

APA's innovative Cam Lock allows the average archer to replace strings or cables, make adjustments, install accessories and tune their bow without the need of a standard bow press, saving a service call to NASA.



APA RISER FANG

APA's signature fang enables you to hang your bow directly onto any branch or limb without any additional equipment.



BROADHEAD WRENCH



NOCK WRENCH



CARBIDE SHARPENER



CAM LOCK PIN



1 EZ TUNE MODS

The EZ Tune draw length modules on our high performance dual cams are easy to tune for optimum speed and arrow flight.

2 REAR STABILIZER MOUNT

Allows archers to properly balance their bow.

3 STRING DAMPENER

Reduces string vibration.

4 DIRECT MOUNT SLING

Promotes safety and ease of use.

5 THIN GRIP

Slender torque-resistant grip.

6 CARBON ROLLER GUIDE


Minimizes string/cable friction.

7 SOFT TOUCH ARMOUR

Minimizes contact noise and is warmer to the touch.

8 CAMERA MOUNT

Capture your hunting experience from a first person view (kit required).



ULTRA SLIM AND COMPACT

FEATURES MORE THAN JUST A BOW

RDS

ROTATING DRAW STOP
TECHNOLOGY



APA's Rotating Draw Stop enables a rock-solid back wall at any draw length or draw weight while still providing the highest level of performance. A true game changer.

Patent pending



M1 CAMS

APA'S MOST ACCURATE HIGH PERFORMANCE CAM

- True Dual Cam **ROTATING DRAW STOP**
- Rock Solid Wall
- 7" Draw Range
- EZ Tune Mods simplify timing and tuning of the bow
- Dual sealed ball bearings for added stability and speed
- Straight nock travel with 75% let off
- Adjustable in 1/2" increments
- Includes APA's exclusive Cam Lock feature allowing string or cable change in the field

Standard on

Mamba 36^{RDS} / Mamba 38^{RDS}

M1 upgrade available on other dual cam bows Custom Order



MX CAMS

- True Dual Cam **EZ TUNE**
- Solid Wall
- 7" Draw Range
- EZ Tune Mods simplify timing and tuning of the bow
- Dual sealed ball bearings for added stability and speed
- Straight nock travel with 75% let off
- Adjustable in 1/2" increments
- Includes APA's exclusive Cam Lock feature allowing string or cable change in the field

Standard on

King Cobra^{TF} / Mamba 32^{TF} / Mamba 34^{TF}

Mamba Air^{TF}



V2 CAMS

- Single Cam simplicity
- Adjustable positive draw stop
- Smooth and fast with 80% let off
- Dual sealed ball bearings for added stability and speed
- No modules needed for draw length change (1/2" increments, 8" of adjustment)
- Includes APA's exclusive Cam Lock feature allowing string or cable change in the field

Standard on

Viper Nano / Viper Air / Viper Venom

Diamondback / Diamondback Lite



YR CAMS

- True Dual Cam
- Solid Wall
- Smooth draw cycle
- No draw chart needed for adjustment
- Rotatable mod, draw range 16" to 28"
- Includes APA's exclusive Cam Lock feature allowing string or cable change in the field

Standard on

Rattler / Diamondback Micro

RESTS

TWISTER CABLE DRIVE



- All metal construction machined from aircraft aluminum, brass and stainless steel
- Reliable performance, pin-point accurate
- Complete with noise reducing fleece
- Rugged, durable, compact body
- Micro adjustable left and right
- Compatible with roller guides
- Does not affect cam timing
- Whisper quiet



APA TWISTER FC
FULL CONTAINMENT
APA 23 Left / APA 24 Right



APA TWISTER TL
TOP LOAD
APA 25 Left / APA 26 Right

APA SAFARI LITE


APA 36 Universal / Left-Right

APA's Safari Lite is a lightweight, rugged, reliable, full containment rest. It automatically sets itself to the correct angle for optimum fletching clearance. Fleece provides whisper quiet performance.

- All metal construction
- No moving parts



SIGHTS



GWS AR-19

- Super tough .019" green fiber optic protected in a stainless steel pin tube
- Single pin adjustable sight provides pin point accuracy
- Precisely machined from aircraft grade aluminum
- Tool-less, micro adjust windage
- Teflon filled bushings

APA 63



TRUGLO CARBON HYBRID

- Lightweight carbon composite and aluminum construction
- Reversible bracket for increased vertical adjustment range
- Adjustable for both left and right handed shooters
- Extra long fibers for maximum brightness
- Extra long bracket increases sight radius

APA 42



TRUGLO CARBON XS

- Lightweight carbon composite construction, weighs less than 3.5 oz.
- TRU TOUCH™ Soft-Feel Technical Coating / TRU FLO™ Fiber Design
- Reversible bracket for greater vertical adjustability
- Adjustable for both left and right handed shooters
- Extra long, fully protected fibers

APA 43

ACCESSORIES



Carbon XS Quiver
APA 40



Wrist Sling / Stabilizer
APA 58



Bow Jack
APA 57



Drone Broadheads 3Pk
APA 15



Premium Quiver 2pc
APA 60 Black / Camo



Broadband Dampeners 2Pk
APA 16



Band Inserts 2Pk
APA 17



Arrow Case / Insert For Soft Case
APA 86



Padded Soft Case
APA 87



Braided Sling
APA 83



String Dampener
APA 47



License Plate
APA 78



Camera Mount Kit
APA 120 / APA 121 Air Series, Diamondback Lite



Decals
APA 77 6" / APA 79 14"



T10 Target T12 Target
APA 88 APA 89

APPAREL



Black Long Sleeve **Green Logo** **Grey T-Shirt**
APA 74 / APA 73 T-Shirt APA 139 T-Shirt APA 125



APA Hoodies
APA 136



Brown Long Sleeve
APA 116 / APA 115 T-Shirt



APA Hats
APA 72 Camo / APA 71 Black / APA 76 Pink

APA Beanie
APA 71.5

PACKAGES



VENOM PACKAGE 90

APA 90

- APA Safari Lite Rest
- TRUGLO Carbon XS Sight
- Wrist Sling
- Dloop
- Peep



VENOM PACKAGE 91

APA 91 Twister FC (Shown) / APA 93 Twister TL


- TWISTER FC Rest
- TRUGLO Carbon Hybrid Sight
- TRUGLO Carbon XS Quiver
- S-Coil Stabilizer
- Wrist Sling
- Dloop
- Peep



CUSTOM FILM DIPPING



Phone to inquire 1-306-948-5101



CONGRATULATIONS ON ALL OF YOUR **ACHIEVEMENTS** THIS 2016 SEASON.



Rodney Groom / UK

- 2016**
- Pro Scottish Field Championship – **1st Place**
 - 3x **1st Place** and 5 podium finishes 3Dauk (ASA copy)
 - Currently **1st** for shooter of the year
 - Competed in all 4 pro archery series legs, Belgium, Germany, Luxembourg and Wales
 - Finished in top 50 qualified for 2017



Kira Mercereau / CAN

- 2016**
- Ironman – 4th Place
 - Indoor 3D Provincials – **2nd Place**
 - Outdoor 3D Provincials – **2nd Place**
 - Indoor Canadian Target Nationals – 10th Place
 - Indoor 3D Canadian Championships – 5th in category, 6th in overall female



Erin McGladdery / CAN

- 2016**
- IBO Worlds – **2nd Place**
 - Canadian Outdoor Nationals 50M FITA – **GOLD**
 - Canadian Outdoor 3D Nationals – **GOLD**
 - Canadian Outdoor FITA Field Nationals – **Silver**
 - Alberta Indoor 3D Provincials – **GOLD**
 - Saskatchewan Indoor 3D Provincials – **GOLD**
 - Canadian Indoor 3D Championship – **GOLD**
 - Canada Cup 50M FITA – **GOLD**
 - Saskatchewan Outdoor 3D Provincials – **GOLD**
 - Saskatchewan 50M FITA Provincials – **GOLD**
 - Saskatchewan FITA Field Provincials – **GOLD**
 - Redding Trail Classic Amateur – **2nd Place**
 - Oregon Greater Safari (women's open pro) – **2nd Place**
 - **Canadian Record** for FITA Field set July 17, 2016



APA WORLDWIDE



Tobias Heeg / UK



Thomas Groom / UK



Sophie Leveille / CAN



Corey Skinner / CAN



Daniel Gissendaner / USA



Kolin Korsi / USA



Stan Kite / USA



Tyler Atkinson / AUS



Clint Taylor / CAN



Tharen Soroka / CAN

TEAM APA CONTINUED


- | | |
|---------------------------|------------------|
| Paul Gutek | Chad Englot |
| Terry Masikewich | Bob Hudson |
| Shane Copithorne | Maxine M. Ross |
| Rick Malyk | Ted Kennedy |
| Darby Dean | Gary Zager |
| Jesse Lumsden | Lana Perry |
| Kelly Abelmann | Travis Skinner |
| Rudy Hassall | Nicolas Rudy |
| Jason Grawbarger | Gianni Carrano |
| Angus McKenzie | Sierra Kakuno |
| Cody Statham | Victoria Leslie |
| Randy Rathy | Ted Kennedy |
| Lee Kite | Johnny Velasquez |
| Mike Proffitt | Jim Street |
| Mitchell Haas | Josh Nordwell |
| Joel Masikewich | Cody Caldwell |
| Darren Diehl | Rudy Hassall |
| Lance Bilodeau | Eric Holtz |
| Candace Stubberfield | Barry Peters |
| Christine Schlaugenhauser | Amye Peters |



"I have been bowhunting for over 35 years and have often featured bowhunting feral boars in Australia for my Wildlife Man films. I can honestly say that I have never shot a finer shooting, more accurate bow than the APA Mamba. So smooth, so fast and so easy to tune."

*- David Ireland
(The Wildlife Man)*





1 **DESOLVE**
WING

2 Buckskin Stealth

3 Matte Red*

4 Matte Black

5 Matte Yellow*

6 Snakeskin Stealth*

7 Snakeskin Blue*

8 Matte Purple*

Wing camo includes
Wing limbs, all other
colors include black
limbs.

* Optional Colors

ST SOFT TOUCH
ARMOUR

1

2

3

4

5

6

7

8



Innovating the Industry.

Lifetime warranty to the registered original owner.

Specifications (approximate)

2017 Bows	King Cobra ^{TF}	Mamba 32 ^{TF}	Mamba 34 ^{TF}	Mamba 36 ^{RDS}	Mamba 38 ^{RDS}	Mamba Air ^{TF}	Viper Nano	Viper Air	V. Venom	DBack	D. Lite	D. Micro	Rattler
IBO Speed up to (fps)	370+	353	355	343	333	348	330	323	315	325	318	295	295
Brace Height (in)	5	6 5/8	6 1/8	6 1/4	7	7	7 1/8	7 3/8	7	7 1/8	7	7	7
Let Off (%)	75	75	75	75	75	75	80	80	80	80	80	75	75
Axle to Axle (in)	34 1/16	32 1/4	34 1/8	36 1/8	37 7/8	28 1/2	30 1/2	27 1/2	29	30 1/2	27 1/2	28	28
Physical Weight (lbs)	4.0	3.8	3.9	3.9	4.1	3.4	3.9	3.4	3.6	3.9	3.4	2.9	2.9
Draw Weights (lbs)	50,60,70,80	50,60,70,80	50,60,70,80	40,50,60,70	40,50,60,70	40,50,60,70	50,60,70	40,50,60,70	40 ↔ 60	50 ↔ 70	45 ↔ 65	20 ↔ 60	20 ↔ 60
Draw Lengths (in)	24- 30	25 - 30 1/2	25 1/2 - 31	26 1/2 - 32	27 - 32 1/2	25 - 30	23 1/2 - 30 1/2	23 - 30	24 - 31	23 1/2 - 30 1/2	23 - 30	16 - 28	16 - 28
Kinetic Energy	106.42 @ 70	96.87 @ 70	97.97 @ 70	91.46 @ 70	86.20 @ 70	94.14 @ 70	84.65 @ 70	81.10 @ 70	66.15 @ 60	82.10 @ 70	72.99 @ 65	57.98 @ 60	57.98 @ 60

APA Features

2017 Bows	King Cobra ^{TF}	Mamba 32 ^{TF}	Mamba 34 ^{TF}	Mamba 36 ^{RDS}	Mamba 38 ^{RDS}	Mamba Air ^{TF}	Viper Nano	Viper Air	V. Venom	DBack	D. Lite	D. Micro	Rattler
TF Limbs	•	•	•			•							
HE Limbs				•	•		•	•	•	•	•	•	•
Rotating Draw Stop				•	•								
EZ Tune Mods	•	•	•	•	•	•	Rotating	Rotating	Rotating	Rotating	Rotating	Rotating	Rotating
Handle - Support Structure	•	•	•	•	•	•	•			•			
Riser Fang	•	•	•	•	•	•	•	•	•	•	•	•	•
Broadhead Wrench	•	•	•	•	•	•	•	•	•	•	•	•	•
Nock Tool	•	•	•	•	•	•	•	•	•	•	•	•	•
Carbide Sharpener	•	•	•	•	•	•	•			•			
Cam Lock System	•	•	•	•	•	•	•	•	•	•	•	•	•
Roller Guide	•	•	•	•		•	•	•					
String Dampener	•	•	•	•	•	•	•	•	•	•	•		
Camera Mount	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional		
Soft Touch Armour	•	•	•	•	•	•	•	•	•	•	•	•	•
Direct Mount Sling Option	•	•	•	•	•	•	•	•	•	•	•	•	•
Speed Silencer(s)	•	•	•	•	•	•	•	•	•	•	•		
Cam System	MX	MX	MX	M1	M1	MX	V2	V2	V2	V2	V2	YR	YR

APA bows are built under one or more of the following patents: ca 2,375 177 us 6,502 566 us 6,745 756 us 7,318 429 us 8,783 236
Other patents pending.

APA TEST DRIVE PROGRAM AVAILABLE.



WWW.APAARCHERY.COM

info@apaarchery.com



FACEBOOK

facebook.com/apaarchery



INSTAGRAM

apaarchery_370



704 Main Street

Box 1420

Biggar, SK Canada S0K 0M0

Phone- 306 948 5101

Fax- 306 948 5158

Printed in Canada

Made in Canada

Test Drive program available.

